

# WOODVALE PARK

## VETERINARY HOSPITAL



Unit 10, 923 Whitfords Avenue, Woodvale WA 6026

Phone: (08) 9409 6968

[www.woodvaleparkvet.com.au](http://www.woodvaleparkvet.com.au)

Aimeroy Pty Ltd ABN 53 165 893 701

# Bleeding from the Nose

## (Epistaxis)

### Basics

#### OVERVIEW

- Bleeding from the nose

#### SIGNALMENT/DESCRIPTION OF PET

##### Species

- Dogs
- Cats

##### Breed Predispositions

- Varies, depending on underlying cause

##### Mean Age and Range

- Varies, depending on underlying cause

##### Predominant Sex

- Varies, depending on underlying cause

#### SIGNS/OBSERVED CHANGES IN THE PET

- Bleeding from one or both nostrils (nasal hemorrhage)
- Sneezing
- May see evidence of bleeding from other areas of the body if nosebleed related to blood-clotting disorder (known as "coagulopathy"), such as blood in the stool (known as "hematochezia"); dark black, tarry stool due to the presence of digested blood (known as "melena"); blood in the urine (known as "hematuria")
- High-pitched, noisy breathing (known as "stridor")—may be present with cancer, foreign body, or advanced inflammatory disease of the nose
- May see bruising or blood-filled swellings (hematomas) if nosebleed related to blood-clotting disorder (coagulopathy)
- May have vision disorders due to bleeding in the retina (retinal hemorrhages) with blood-clotting disorders (coagulopathy) or high blood pressure (known as "hypertension")

#### CAUSES

- Bleeding from the nose results from one of three abnormalities—bleeding disorders or blood-clotting disorders (coagulopathies); presence of a local lesion; blood vessel (vascular) or generalized (systemic) disease

##### Bleeding Disorders or Blood-Clotting Disorders (Coagulopathies)

##### *Low Number of Platelets or Thrombocytes in the Blood (known as "Thrombocytopenia")*

- Immune-mediated disease—thrombocytopenia for unknown reason (so-called "idiopathic disease"); systemic

lupus erythematosus (SLE); drug reaction; modified-live vaccine (MLV) reaction

- Infectious disease—*Ehrlichia* infection; Rocky Mountain spotted fever; *Babesia* infection; feline leukemia virus (FeLV)- or feline immunodeficiency virus (FIV)-related illness
- Bone-marrow disease—cancer; aplastic anemia, where the bone marrow is not generating blood cells; infectious disease (fungal, rickettsial, or viral)
- Disorders that accompany cancer (known as "paraneoplastic disorders")
- Blood clotting disorder—disseminated intravascular coagulopathy (DIC), a bleeding problem in which clotting factors are activated and clotting factors and platelets are used up

#### **Abnormal Function of Platelets or Thrombocytes in the Blood (Known as "Thrombopathia")**

- Congenital (present at birth)—von Willebrand's disease (bleeding disorder caused by lower than normal levels of factor VII—one of the ingredients required to clot blood); abnormally functioning platelets (thrombopathia)
- Acquired (present after birth)—nonsteroidal anti-inflammatory drugs (NSAIDs); clopidogrel (a medication to prevent strokes and heart attacks in people); increased levels of globulin, a body protein, in the blood (known as "hyperglobulinemia"; may be seen with *Ehrlichia* infection or multiple myeloma); increased concentration of nitrogenous waste products including urea in the blood (known as "uremia"); blood clotting disorder—disseminated intravascular coagulopathy

#### **Blood-Clotting (Coagulation) Factor Defects**

- Blood-clotting (coagulation) factors are present in the plasma of the blood. They are ingredients that come together in a certain order to produce a clot. The clotting factors are identified by Roman numerals, I through XII. If one or more blood-clotting factor is present in too low a level or if the blood clotting factors have been used up, clotting will not occur normally and bleeding will result. The amount of bleeding varies.
- Congenital (present at birth): hemophilia A (factor VIIIc deficiency) and hemophilia B (factor IX deficiency)
- Acquired (present after birth): poisoning with agents used to kill rodents (mice, rats)—these agents (known as "anticoagulant rodenticides," such as warfarin) prevent blood clotting; liver disease; and disseminated intravascular coagulopathy, a bleeding problem in which clotting factors are activated and clotting factors and platelets are used up

#### **Local Lesion**

- Foreign body
- Trauma
- Infection—fungal (*Aspergillus*, *Cryptococcus*, and *Rhinosporidium*); viral or bacterial; usually see blood-tinged nasal discharge rather than obvious bleeding
- Cancer
- Dental disease—abnormal opening between the mouth and nose (known as an "oronasal fistula"), tooth-root abscess
- Inflammation of the nasal tissues, characterized by the presence of lymphocytes and plasma cells (so-called "lymphoplasmacytic rhinitis")

#### **Blood Vessel (Vascular) or Generalized (Systemic) Disease**

- High blood pressure (known as "hypertension")—kidney disease; excessive production of thyroid hormone (known as "hyperthyroidism"); excessive production of steroids by the adrenal glands (known as "hyperadrenocorticism" or "Cushing's disease"); high blood pressure caused by unknown reason (known as "idiopathic disease")
- Increase in proteins in the serum of the blood (known as "hyperviscosity")— increased levels of globulin, a body protein, in the blood (hyperglobulinemia), may be seen with *Ehrlichia* infection or multiple myeloma (cancer of the bone marrow in which abnormal proteins are produced); increased number of red blood cells (known as "polycythemia")
- Inflammation of the blood vessels (known as "vasculitis")—immune-mediated and rickettsial diseases

## **RISK FACTORS**

### **Coagulopathy**

- Immune-mediated disease—young to middle-aged, small to medium-sized female dogs
- Infectious disease—dogs living in or traveling to areas where other dog or animals are carrying the infection-causing organism; tick exposure

- Abnormality of the platelets (thrombasthenia)—otter hounds
- Abnormal functioning of the platelets (thrombopathia)—basset hounds, spitz
- von Willebrand's disease—Doberman pinschers, Airedale terriers, German shepherd dogs, Scottish terriers, Chesapeake Bay retrievers, and many other breeds; cats
- Hemophilia A—German shepherd dogs and many other breeds; cats
- Hemophilia B—cairn terriers, coonhounds, Saint Bernards, and other breeds; cats

#### **Local Lesion**

- Aspergillosis—German shepherd dog, rottweiler
- Cancer—long-nosed dogs (known as "dolicocephalic breeds")

## **Treatment**

### **HEALTH CARE**

- Blood-clotting disorder (coagulopathy)—usually inpatient management
- Mass or space-occupying lesion or blood vessel (vascular) or generalized (systemic) disease—outpatient or inpatient management, depending on the disease and its severity
- Provide basic supportive care (such as intravenous fluids, quality nutrition)
- Radiation therapy—nasal tumors; various response rates, depending on tumor type
- Recognize signs of serious bleeding (such as weakness, collapse, pallor, and obvious blood loss)
- Whole-blood or packed red blood-cell (RBC) transfusion—may be needed with severe anemia

### **ACTIVITY**

- Minimize activity or stimuli that may lead to or increase bleeding episodes

### **SURGERY**

- Removal of foreign body
- Fungal infection of the nose (known as "fungal rhinitis," such as caused by *Aspergillus* and *Rhinosporidium*) may require surgical removal of part of the space-occupying lesion (known as "debulking")

## **Medications**

Medications presented in this section are intended to provide general information about possible treatment. The treatment for a particular condition may evolve as medical advances are made; therefore, the medications should not be considered as all inclusive

### **COAGULOPATHY**

- Immune-mediated disease—prednisone; additional medications may be used for cases that do not respond to prednisone alone, such as azathioprine, cyclosporine, human immune globulin
- Infectious disease—Rickettsial disease: doxycycline; *Babesia* infection: imidocarb, diminazene, or atovaquone with azithromycin
- Bone-marrow cancer—chemotherapy Myeloproliferative Disorders
- Abnormal platelet function or platelets (thrombopathia or thrombasthenia)—no treatment in most cases
- Von Willebrand's disease—plasma or cryoprecipitate for sudden bleeding; desmopressin acetate or DDAVP is a synthetic antidiuretic hormone; DDAVP may help control or prevent bleeding
- Hemophilia A—plasma or cryoprecipitate for acute bleeding; no long-term treatment
- Hemophilia B—plasma for acute bleeding; no long-term treatment
- Rat poisoning (anticoagulant rodenticide poisoning)—plasma for acute bleeding; vitamin K, length of time for vitamin K treatment based on type of rat poison to which pet was exposed

### **LOCAL LESION**

- Serious bleeding—control with cage rest and acepromazine to lower blood pressure and promote clotting if the pet does not have a decrease in blood volume (known as "hypovolemia")
- Secondary bacterial infection—antibiotics; based on culture and sensitivity testing
- Fungal infection—topical treatment with clotrimazole or enilconazole Aspergillosis; dapsone following surgery for rhinosporidiosis

## **BLOOD VESSEL (VASCULAR) OR GENERALIZED (SYSTEMIC) DISEASE**

- Increase in proteins in the serum of the blood (known as "hyperviscosity")—treat underlying disease (such as *Ehrlichia* infection and multiple myeloma)
- Inflammation of the blood vessels (vasculitis)—prednisone for immune-mediated disease; doxycycline for rickettsial disease

## **HIGH-BLOOD PRESSURE (HYPERTENSION)**

- Treat underlying disease—kidney disease, excessive production of thyroid hormone (known as "hyperthyroidism"); excessive production of steroids by the adrenal glands (known as "hyperadrenocorticism" or "Cushing's disease")
- Reduce weight
- Restrict sodium
- Calcium channel blockers—amlodipine; diltiazem
- Angiotensin-converting enzyme (ACE) inhibitors—benazepril; enalapril
- $\beta$ -blockers—propranolol; atenolol
- Diuretics—hydrochlorothiazide; furosemide

## **Follow-Up Care**

### **PATIENT MONITORING**

- Depends on underlying cause; discuss with your pet's veterinarian
- Platelet count for pets with low platelet counts (thrombocytopenia)
- Blood-clotting (coagulation profile) for pets with blood-clotting (coagulation) factor defects
- Blood pressure for pets with high blood pressure (hypertension)
- Clinical signs

### **PREVENTIONS AND AVOIDANCE**

- Depends on underlying cause; discuss with your pet's veterinarian
- Prevent exposure to rat poisons (anticoagulant rodenticide poisons)
- Provide dental preventive care

### **POSSIBLE COMPLICATIONS**

- Anemia and collapse (rare)

### **EXPECTED COURSE AND PROGNOSIS**

- Depends on underlying cause

## **Key Points**

- Bleeding from the nose results from one of three abnormalities—bleeding disorders or blood-clotting disorders (coagulopathies); presence of a local lesion; blood vessel (vascular) or generalized (systemic) disease
- May see bleeding from other areas of the body if nosebleed related to blood-clotting disorder (known as "coagulopathy")
- Recognize signs of serious bleeding (such as weakness, collapse, pallor, and obvious blood loss)

# Notes

---

Enter notes here



*Blackwell's Five-Minute Veterinary Consult: Canine and Feline, Fifth Edition*, Larry P. Tilley and Francis W.K. Smith, Jr. © 2011 John Wiley & Sons, Inc.